

Technical data sheet

Height adjustment unit for heavy-duty mounting lid

Item number: 7409682



The height adjustment units rated for increased load requirements permit the screed-flush height adjustment of the heavy-duty mounting lid and are to be ordered separately.
The VPE consists of four height adjustment units.

CE

- St** Steel
- G** Electrogalvanized

Master data

| | |
|---------------------|-----------------------------|
| Item number | 7409682 |
| Type | DUG SL105 |
| Description 1 | Height-adjustment unit |
| Description 2 | for heavy-duty mounting lid |
| Manufacturer | OBO |
| Dimension | 105/140 |
| Material | Steel |
| Surface | Electrogalvanized |
| Surface standard | EN ISO 19598 / EN ISO 4042 |
| Smallest sales unit | 1 |
| Unit of quantity | Packaging unit |
| Weight | 36.184 kg |
| Weight unit | kg/100 PUs |


Technical data sheet

Height adjustment unit for heavy-duty mounting lid


Item number: 7409682



Dimensions



| | |
|-------------|-------|
| Length | 98 mm |
| Width | 19 mm |
| Height | 19 mm |
| Dimension L | 90 mm |



Technical data

| | |
|---------------------|---------------|
| Type of accessory | Miscellaneous |
| Screed height, max. | 140 mm |

Technical data sheet

Height adjustment unit for heavy-duty mounting lid

Item number: 7409682



Technical data

| | |
|---------------------|--------|
| Screed height, min. | 105 mm |
| Heavy-duty version | yes |